

# Safety data sheet

## According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

Hazardous according to criteria of Australian Safety and Compensation Council

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Transoxy Glascote 4.40 pack B
- **Article number:** 440b
- **Application of the substance/preparation:**  
Epoxy curing agent  
Paint
- **Details of the supplier of the safety data sheet**
- **Manufacturer/supplier:** Wagon Paints Australia P/L 5 Stephenson Rd Bayswater North 3153
- **Emergency telephone number:** (03) 9729 1344 from 8.00 am to 4.30 pm

### 2 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

100-51-6	Benzyl alcohol ⚠ H302; H332	25-50%
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine ⚠ H314; ⚠ H302; H312; H317; H412	25-50%
1477-55-0	m-phenylenebis(methylamine) ⚠ H331; ⚠ H314; H318; ⚠ H302	≤ 2.5%
98-54-4	4-tert-butylphenol ⚠ H314; ⚠ H319; H335; H303; H313	≤ 2.5%
25620-58-0	trimethylhexane-1,6-diamine ⚠ H314; H318; ⚠ H302; H317; H402; H412	≤ 2.5%

### 3 Hazards identification

- **Classification of the substance or mixture**



GHS05 corrosion

H314 Causes severe skin burns and eye damage.



GHS07

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H227 Combustible liquid.

H313 May be harmful in contact with skin.

H333 May be harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008 Void**

(Contd. on page 2)

AUS

## Safety data sheet According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

Trade name: **Transpoxy Glascote 4.40 pack B**

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

*Benzyl alcohol  
3-aminomethyl-3,5,5-trimethylcyclohexylamine  
m-phenylenebis(methylamine)*

· **Hazard statements**

*Combustible liquid.  
Harmful if swallowed.  
May be harmful in contact with skin.  
May be harmful if inhaled.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Harmful to aquatic life with long lasting effects.*

· **Precautionary statements**

*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.*

### \* 4 First aid measures

· **General information:**

*Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

· **After inhalation:**

*Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· **After swallowing:**

*Call for a doctor immediately.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.*

### \* 5 Firefighting measures

· **Suitable extinguishing agents:**

*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*

· **Protective equipment:** *Mouth respiratory protective device.*

### \* 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

*Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 3)

## Safety data sheet According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

**Trade name: Transpoxy Glascote 4.40 pack B**

(Contd. of page 2)

- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

**m-phenylenebis(methylamine) ( $\leq 2.5\%$ )**

NES 0.1\* mg/m<sup>3</sup>

Sk; \*Peak limitation

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 4)

## Safety data sheet According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

**Trade name: Transpoxy Glascode 4.40 pack B**

(Contd. of page 3)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Boiling point/Boiling range:** 201 °C

· **Flash point:** > 80 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 380 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	1.2 Vol %
· <b>Upper:</b>	13.0 Vol %

· **Vapour pressure at 20 °C:** 0.1 hPa

· <b>Density at 20 °C:</b>	1.02569 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· <b>Dynamic at 20 °C:</b>	350 mPas
· <b>Kinematic:</b>	Not determined.

· **Solvent content:**

· **VOC (EC)** 389.8 g/l

AUS

(Contd. on page 5)

## Safety data sheet

### According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

**Trade name: Transpoxy Glascote 4.40 pack B**

(Contd. of page 4)

#### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Hazardous decomposition products:** No dangerous decomposition products known.

#### 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

**Benzyl alcohol**

Oral	LD50	1230 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** Sensitization possible through skin contact.

#### 12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Must not reach sewage water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even small quantities leak into the ground.  
 Harmful to aquatic organisms

#### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

#### 14 Transport information

- **UN-Number**
- **ADG, IMDG, IATA**      UN3066
- **UN proper shipping name**
- **ADG**                      3066 PAINT RELATED MATERIAL
- **IMDG, IATA**              PAINT RELATED MATERIAL

(Contd. on page 6)

AUS

## Safety data sheet

### According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

Trade name: *Transpoxy Glascode 4.40 pack B*

(Contd. of page 5)

· **Transport hazard class(es)**· **ADG, IMDG, IATA**

· **Class** 8  
 · **Label** 8

· **Packing group**· **ADG, IMDG, IATA** III· **Environmental hazards:**· **Marine pollutant:** No· **Special precautions for user**· **Danger code (Kemler):** 80· **EMS Number:** F-A,S-B· **Transport/Additional information:**· **ADG**· **Limited quantities (LQ)** 5L· **Transport category** 3· **Tunnel restriction code** E· **UN "Model Regulation":** UN3066, PAINT RELATED MATERIAL, 8, III

### 15 Regulatory information

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Drugs and Poisons**

None of the ingredients is listed.

· **Labelling according to Regulation (EC) No 1272/2008 Void**· **Hazard pictograms**

GHS05 GHS07

· **Signal word** Danger· **Hazard-determining components of labelling:**

Benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

m-phenylenebis(methylamine)

· **Hazard statements**

Combustible liquid.

Harmful if swallowed.

May be harmful in contact with skin.

May be harmful if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

(Contd. on page 7)

AUS

**Safety data sheet**  
According to 91/155 EEC

Printing date 08.03.2013

Vers.-Nr: 38

Revision: 02.01.2013

**Trade name: Transpoxy Glascode 4.40 pack B**

(Contd. of page 6)

· **Precautionary statements**

*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a POISON CENTER or doctor/physician.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organization*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

AUS