



Vers.-Nr: 55 Revision: 23.05.2023

Hazardous according to criteria of Australian Safety and Compensation Council

### 1 Identification

· Product identifier

· Trade name: Transvinypox 2.06 pack A

· Article number: 206a-4

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance/preparation:

**Epoxy coating** 

Paint

· Details of the supplier of the safety data sheet

· Manufacturer/supplier:

Transocean Coatings

Wagon Paints Australia Pty Ltd

ABN: 76 412 791 772

Street address: 5 Stephenson Road, Bayswater North

VIC, 3153 Australia Phone: +613 9729-1344 Fax: +613 9720 2719

· Emergency telephone number:

Medical Emergencies: 24 Hours · Poisons Information Centre (Australia): 131 126

### 2 Hazard Identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02 GHS07

· Signal word Warning

· Hazard-determining components of labelling:

xylene, mixture of isomers

reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weigh > 700)

· Hazard statements

Flammable liquid and vapour.

Causes skin irritation.

(Contd. on page 2)





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 1)

Causes serious eye irritation.

May cause an allergic skin reaction.

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition and information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
1330-20-7	1330-20-7 xylene, mixture of isomers			
	Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315			
25036-25-3	reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weigh > 700) Skin Sens. 1, H317	25-50%		
123-86-4	n-butyl acetate	2,5-10%		
	Flam. Liq. 3, H226; STOT SE 3, H336			
78-83-1	iso-butanol	≤ 2,5%		
	Flam. Liq. 3, H226; Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335-H336			

<sup>•</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### **4 First Aid Measures**

- Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 2)

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire Fighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 3)

### · Control parameters

· Ingre	Ingredients with limit values that require monitoring at the workplace:				
1330-	1330-20-7 xylene, mixture of isomers				
NES	Short-term value: 655 mg/m³, 150 ppm				
	Long-term value: 350 mg/m³, 80 ppm				
123-8	123-86-4 n-butyl acetate				
NES		Short-term value: 950 mg/m³, 200 ppm			
	_	g-term value: 713 mg/m³, 150 ppm			
78-83	3-1 is	o-buta	nol		
NES	NES Long-term value: 152 mg/m³, 50 ppm				
· DNEI	_s				
1330-	1330-20-7 xylene, mixture of isomers				
Derm	Dermal long t		erm DNEL	108 mg/kg/d (General Population)	
				180 mg/kg/d (Workers)	
Inhala	Inhalative long t		erm DNEL	14.8 mg/m3 (General Population)	
				77 mg/m3 (Workers)	
· PNE	· PNECs				
1330-	1330-20-7 xylene, mixture of isomers				
PNE(	PNEC STP 6		6.58 mg/l (water treatment plant)		
PNE	PNEC aqua		327 ug/l (freshwater)		
	•		327 ug/l (marine water)		
PNE(	PNEC sediment		12.46 mg/kg (freshwater)		
			12.46 mg/kg (marine water)		
PNEC soil 2.31 mg/kg (Soil)			- · · · · · · · · · · · · · · · · · · ·		

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

### · Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

9 Physical and chemical pro	perties		
· Information on basic physical a	and chemical properties		
General Information			
· Appearance:	Fluid		
Form: Colour:	Fluid According to product specification		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Boiling point/Boiling range:	124 °C		
· Flash point:	25 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	370 °C		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not selfigniting.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits:			
Lower:	1.1 Vol %		
Upper:	7.0 Vol %		
· Vapour pressure at 20 °C:	6.7 hPa		
· Density at 20 °C:	1.007 g/cm <sup>3</sup>		
· Relative density	Not determined.		
· Vapour density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with	· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.		





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 4)

 $\cdot \ \textbf{Partition coefficient (n-octanol/water):} \ \textbf{Not determined}.$ 

· Viscosity:

**Dynamic at 20 °C:** 1000 mPas **Kinematic:** Not determined.

· Solvent content:

**VOC (EC)** 474.8 g/l

Other information
 No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 v	/alues relevant fo	or classification:
1330-20-7	xylene, mixture	of isomers
Oral	LD50	>2000 mg/kg (rat)
	LC50/ 96 hr (stat	c) 2.6 mg/l (Rainbow trout (Oncorhynchus mykiss)) (OESO 203 or equivalent)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Al

(Contd. on page 7)





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 4)

## 12 Ecological information

- · Toxicity
- Aguatic toxicity:

### 1330-20-7 xylene, mixture of isomers

EC 50 (48 hr) | 1-10 mg/l (daphnia) EC 50 (72 hr) | 1-10 mg/l (Algae)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

-		
· UN-Number		
· ADG, ADN, IMDG	Void	
·IATA	UN1300	
· UN proper shipping name		
· ADG, ADN, IMDG	Void	
·IATA	Turpentine substitute	

AU





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 4)

	(Conta. of pa	age +
· Transport hazard class(es)		
· ADG, ADN, IMDG		
· Class	Void	
· IATA		••••
•		
3		
· Class	3 Flammable liquids.	
· Label	3	
· Packing group		
· ADG, IMDG	Void	
· IATA	III	
Environmental hazards:	NI.	
· Marine pollutant:	No	
<ul> <li>Special precautions for user</li> </ul>	Not applicable.	
· Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

mixture					
· Australian	Inventory of Ch	emical Substances			
1330-20-7	xylene, mixture	of isomers			
25036-25-3	reaction product molecular weig	t: bisphenol A-(epichlorhydrin); epoxy resin (number aver h > 700)	age		
123-86-4	n-butyl acetate				
78-83-1	iso-butanol				
71-36-3	butan-1-ol				
108-83-8	2,6-dimethylhe	ptan-4-one			
1333-86-4	Carbon black				
	Xylenes				
29354-75-4	Butyl methacry	ate/methyl methacrylate copolymer			
50-00-0	formaldehyde				
7397-62-8	butyl glycollate				
111-76-2	2-butoxyethano	)l			
· Standard fo	· Standard for the Uniform \$cheduling of Medicines and Poisons				
1330-20-7	xylene, mixture (	of isomers	S6		
50-00-0	formaldehyde		S2, S6, S10		
111-76-2	2-butoxyethanol		S6		
			Contd. on page 9)		

Αl



Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 4)

#### · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



#### · Signal word Warning

#### Hazard-determining components of labelling:

xylene, mixture of isomers

reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weigh > 700)

#### · Hazard statements

Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)





Vers.-Nr: 55 Revision: 23.05.2023

Trade name: Transvinypox 2.06 pack A

(Contd. of page 9)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Pote compared to the provious years on altered.

\* Data compared to the previous version altered.